

# WomensHealthComesFirst.com

*A project of Illinois Right to Life*

No woman should enter a women's abortion clinic and leave needing a tetanus shot, HIV testing, or emergency treatment at the hospital.

**Original document found online at:** <http://illinoisrighttolife.org/womens-health-comes-first-a-project-of-illinois-right-to-life/find-your-clinic/>

- [Home](#)
- [Full Report](#)
- [Petition](#)
- [How Safe is My Clinic?](#)
- [Contact Us](#)
- [Donate](#)

## How Safe is My Clinic?

Clinic Name	State Senate / State Rep. Districts Clinic is in	State Senate / State Rep. Districts Clinics may also serve	Licensed?	Last Full Health Inspection	Previous Full Health Inspection	Health Inspection Violations / Lawsuits
<b>Planned Parenthood Aurora Health Center</b> Aurora, IL 60504	<a href="#">Rep. Kifowit (District 84)</a> <a href="#">Sen. Holmes (District 42)</a>	<a href="#">Rep. Chapa LaVia (District 83)</a> <a href="#">Sen. Bertino- Tarrant</a>	No	Never	Never	No health and sanitary inspection has been conducted in a Planned Parenthood in Illinois since 1999.

<b>Champaign Health Center — Planned Parenthood</b> Champaign, IL 61820	<a href="#">(District 49)</a> <a href="#">Rep. Mitchell</a> <a href="#">Rep. Ammons</a> <a href="#">(District 101)</a> <a href="#">Rep. Hays</a> <a href="#">(District 103)</a> <a href="#">Sen. Bennett</a> <a href="#">(District 52)</a> <a href="#">Sen. Rose</a> <a href="#">(District 51)</a>	No	<a href="#">7/29/1999</a>	Unknown	No health and sanitary inspection has been conducted in a Planned Parenthood in Illinois since 1999.
<b>Women's Health Practice</b> Champaign, IL 61820	<a href="#">Rep. Ammons</a> <a href="#">(District 103)</a> <a href="#">Sen. Bennett</a> <a href="#">(District 52)</a> <a href="#">Rep. Brown</a> <a href="#">(District 102)</a> <a href="#">Sen. Rose</a> <a href="#">(District 51)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999
<b>All Women's Medical Center</b> Chicago, IL 60618	<a href="#">Rep. Andrade</a> <a href="#">(District 40)</a> <a href="#">Sen. Martinez</a> <a href="#">(District 20)</a> <a href="#">Rep. Williams</a> <a href="#">(District 11)</a> <a href="#">Sen. Cullerton</a> <a href="#">(District 6)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999
<b>All Women's Health Chicago</b> Chicago, IL 60647	<a href="#">Rep. Reaves-Harris</a> <a href="#">(District 10)</a> <a href="#">Sen. Van Pelt</a> <a href="#">(District 5)</a> <a href="#">Rep. Turner</a> <a href="#">(District 9)</a> <a href="#">Sen. Delgado</a> <a href="#">(District 2)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999
<b>American Women's Center — Chicago</b> Chicago, IL 60647	<a href="#">Rep. Andrade</a> <a href="#">(District 40)</a> <a href="#">Sen. Martinez</a> <a href="#">(District 20)</a> <a href="#">Rep. Guzzardi</a> <a href="#">(District 39)</a> <a href="#">Sen. Cullerton</a> <a href="#">(District 6)</a>	ASTC	<a href="#">9/21/2012</a>	<a href="#">4/19/1996</a>	“The licensing requirements are NOT MET...” “Due to the number, variety, and severity of the life safety deficiencies observed during the survey walk-through, the provider shall institute appropriate interim life safety measures until all cited deficiencies are corrected.”
<b>Family Planning Associates Medical Group</b> Chicago, IL 60619	<a href="#">Rep. Sims, Jr.</a> <a href="#">(District 34)</a> <a href="#">Sen. Trotter</a> <a href="#">(District 17)</a> <a href="#">Rep. Dunkin</a> <a href="#">(District 5)</a> <a href="#">Sen. Collins</a> <a href="#">(District 16)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999.
<b>Family Planning Associates</b>	<a href="#">Rep. Turner</a> <a href="#">(District 9)</a> <a href="#">Rep. Reaves-Harris</a> <a href="#">(District 9)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999.

<b>Medical Group</b> Chicago, IL 60661	<a href="#">Sen. Van Pelt</a> <a href="#">(District 5)</a>	<a href="#">10)</a> <a href="#">Sen. Lightford</a> <a href="#">(District 4)</a>				
<b>Family Planning Associates</b> <b>Medical Group – Elston (Closed)</b> Chicago, IL 60630	<a href="#">Rep. D'Amico</a> <a href="#">(District 15)</a> <a href="#">Sen. Silverstein</a> <a href="#">(District 8)</a>	<a href="#">Rep. Martwick</a> <a href="#">(District 19)</a> <a href="#">Sen. Martinez</a> <a href="#">(District 20)</a>	ASTC	<a href="#">3/10/2015</a>	<a href="#">6/19/2012</a>	<b>License was revoked 3-10-2015 by the Illinois Department of Public Health. Fined \$50,000 for health and safety violations.</b>
<b>Loop Health Center — Planned Parenthood</b> Chicago, IL 60603	<a href="#">Rep. Dunkin</a> <a href="#">(District 5)</a> <a href="#">Sen. Hunter</a> <a href="#">(District 3)</a>	<a href="#">Rep. Mitchell</a> <a href="#">(District 26)</a> <a href="#">Sen. Munoz</a> <a href="#">(District 1)</a>	No	Never	Never	No health and sanitary inspection has been conducted in a Planned Parenthood in Illinois since 1999.
<b>Michigan Avenue Center for Health</b> Chicago, IL 60616	<a href="#">Rep. Dunkin</a> <a href="#">(District 5)</a> <a href="#">Sen. Hunter</a> <a href="#">(District 3)</a>	<a href="#">Rep. Acevedo</a> <a href="#">(District 2)</a> <a href="#">Sen. Munoz</a> <a href="#">(District 1)</a>	PTSC	<a href="#">6/23/2011</a>	No previous health inspection since it opened in 2004	“Two of 5 metal carts contained rust like stains and dust.” “Cart #2 contained an ambu bag with a brown substance and rust like stains and dust.” “Suction tubing identified by staff as clean, was suspended over a biohazard container. The lid of the container when opened touched the clean tubing.” On 1/3/13 Illinois Planned Parenthood women’s abortion provider was sued for medical malpractice following the death of a 24-year-old woman after an abortion at the LaSalle location. Court documents state the women’s clinic did not transport her to the hospital until 5 hours after her scheduled appointment. Seven hours following her scheduled abortion, the young woman hemorrhaged and died as a result of a torn uterus leaving behind a two-year-old boy. A settlement agreement was reached for
<b>Near North Center — Planned Parenthood</b> Chicago, IL 60610	<a href="#">Rep. Dunkin</a> <a href="#">(District 5)</a> <a href="#">Sen. Hunter</a> <a href="#">(District 3)</a>	<a href="#">Rep. Golar</a> <a href="#">(District 6)</a> <a href="#">Sen. Van Pelt</a> <a href="#">(District 5)</a>	No	Never	Never	

<b>Ryan Center at University of Chicago</b> Chicago, IL 60637	<a href="#">Rep. Mitchell (District 26)</a> <a href="#">Sen. Raoul (District 13)</a>	<a href="#">Rep. Dunkin (District 5)</a> <a href="#">Sen. Hunter (District 3)</a>	No	Never	Never	\$2,000,000.00. No health and sanitary inspection conducted since 1999.
<b>The UIC Center for Reproductive Health</b> Chicago, IL 60612	<a href="#">Rep. Turner (District 9)</a> <a href="#">Sen. Van Pelt (District 5)</a>	<a href="#">Rep. Acevedo (District 2)</a> <a href="#">Sen. Delgado (District 2)</a>	No	Never	Never	No health and sanitary inspection conducted since 1999.
<b>Women's Aid Center</b> Chicago, IL 60646	<a href="#">Rep. D'Amico (District 15)</a> <a href="#">Sen. Silverstein (District 8)</a>	<a href="#">Rep. Lang (District 16)</a> <a href="#">Sen. Martinez (District 20)</a>	No	Never	Never	Same owner as Women's Aid Clinic which is currently being sued by the State of Illinois for not paying \$36,000 in health and sanitary violation fines.
<b>American Women's Center</b> Des Plaines, IL 60016	<a href="#">Rep. Moylan (District 55)</a> <a href="#">Sen. Kotowski (District 28)</a>	<a href="#">Rep. McAuliffe (District 20)</a> <a href="#">Rep. Nekritz (District 57)</a> <a href="#">Sen. Biss (District 9)</a>	PTSC	<a href="#">6/23/2011</a>	No health inspection since it opened in 2004	"5 of 5 records reviewed, the facility failed to ensure all patients received pre-operative and post-operative counseling"... "Facility failed to ensure the presence of a circulating RN during an invasive and operative procedure." ... "For patients requiring a Laminaria Insertion, the facility failed to ensure operative reports were complete and accurate."
<b>Apollo Surgical Center</b> Des Plaines, IL 60016	<a href="#">Rep. Moylan (District 55)</a> <a href="#">Sen. Kotowski (District 28)</a>	<a href="#">Rep. Harris (District 53)</a> <a href="#">Sen. Mulroe (District 10)</a>	ASTC	N/A	No health inspection since it opened in 2014.	"Based on document review and interview, it was determined, the facility failed to ensure the surgical county policy was accurate, affecting all future surgical patents."
<b>Dimensions Clinic (Closed)</b> Des Plaines, IL 60016	<a href="#">Rep. Moylan (District 55)</a> <a href="#">Sen. Kotowski (District 28)</a>	<a href="#">Rep. Harris (District 53)</a> <a href="#">Sen. Mulroe (District 10)</a>	PTSC	<a href="#">3/15/2001</a>	<a href="#">5/11/95</a>	Closed in 2011 before receiving a health inspection.

<b>Forest View Medical Center (Closed)</b> Des Plaines, Illinois 60018	<a href="#">Rep. Moylan (District 55)</a> <a href="#">Sen. Kotowski (District 28)</a>	<a href="#">Rep. Nekritz (District 57)</a> <a href="#">Sen. Murphy (District 27)</a> <a href="#">Sen. Biss (District 9)</a>	PTSC	<a href="#">6/1/2011</a>	No previous health inspection since it opened in 2005	“Based on personnel file review and staff interview, it was determined that for 5 of 5 employee files reviewed (E#1-5), the Facility failed to ensure background checks with the Health Care Registry prior to hiring.”
<b>Aanchor Health Center LTD</b> Glen Ellyn, IL 60137	<a href="#">Rep. Breen (District 48)</a> <a href="#">Sen. Nybo (District 24)</a>	<a href="#">Rep. Conroy (District 46)</a> <a href="#">Sen. Cullerton (District 23)</a>	PTSC	<a href="#">5/5/2011</a>	No previous health inspection since it opened in 2002.	“Based on manufacturer’s guidelines, Biological Spore Testing Log, and staff interview, it was determined that for 3 of 9 weeks in March and April 2011...the facility failed to ensure biological spore testing was verified and documented each week.” “Failed to ensure the oxygen tank in the recovery room contained an adequate amount of oxygen, potentially affecting 100% of the patients.” On 7/19/06 Hope Medical Clinic women’s abortion clinic provider was sued for medical malpractice. On 4/2/08 an undisclosed settlement agreement was reached.
<b>The Hope Clinic for Women</b> Granite City, IL 62040	<a href="#">Rep. Hoffman (District 113)</a> <a href="#">Sen. Clayborne, Jr., II (District 57)</a>	<a href="#">Rep. Kay (District 112)</a> <a href="#">Sen. Haine (District 56)</a>	ASTC	<a href="#">10/7/13</a>	<a href="#">3/9/2012</a>	“On 5/18/11...OR #2 was inspected and observed with loose debris on the floor, a red stain on a wall and standing water in a small bucket. The last surgical day was 5/16/11.” On 5/23/11 OR #2 was inspected. OR #2 contained tape on an IV pole and brown stains on the suction machine. The last surgical day was on 5/14/11. “The Recovery Room technician (E#1) was observed on 9/6/11 at approximately 9:20am retrieving a paper towel from a garbage receptacle and using the same paper towel to cover a tray that would serve food items to
<b>Access Health Center</b> Downers Grove, IL 60516	<a href="#">Rep. Sandack (District 81)</a> <a href="#">Sen. Rodogno (District 41)</a>	<a href="#">Rep. Bellock (District 47)</a> <a href="#">Sen. Nybo (District 24)</a>	PTSC	<a href="#">5/18/2011</a>	<a href="#">10/1/1998</a>	“On 5/18/11...OR #2 was inspected and observed with loose debris on the floor, a red stain on a wall and standing water in a small bucket. The last surgical day was 5/16/11.” On 5/23/11 OR #2 was inspected. OR #2 contained tape on an IV pole and brown stains on the suction machine. The last surgical day was on 5/14/11.
<b>ACU Health Center LTD (Closed)</b> Hinsdale, IL 60521	<a href="#">Rep. Bellock (District 47)</a> <a href="#">Sen. Nybo (District 24)</a>	<a href="#">Rep. Durkin (District 82)</a> <a href="#">Sen. Lightford (District 4)</a>	PTSC	<a href="#">5/24/2011</a>	<a href="#">3/19/97</a>	“On 5/18/11...OR #2 was inspected and observed with loose debris on the floor, a red stain on a wall and standing water in a small bucket. The last surgical day was 5/16/11.” On 5/23/11 OR #2 was inspected. OR #2 contained tape on an IV pole and brown stains on the suction machine. The last surgical day was on 5/14/11.
<b>Women's Aid Clinic (Closed)</b> Lincolnwood, IL 60646	<a href="#">Rep. Lang (District 16)</a> <a href="#">Sen. Silverstein (District 8)</a>	<a href="#">Rep. D'Amico (District 15)</a> <a href="#">Sen. Biss (District 9)</a>	PTSC	<a href="#">9/7/2011</a>	<a href="#">4/1/1996</a>	“The Recovery Room technician (E#1) was observed on 9/6/11 at approximately 9:20am retrieving a paper towel from a garbage receptacle and using the same paper towel to cover a tray that would serve food items to

**National Health Care**  
Peoria, IL 61614

[Rep. Leitch \(District 73\)](#) [Rep. Moffitt \(District 74\)](#)  
[Sen. LaHood \(District 37\)](#) [Sen. Brady \(District 44\)](#)

PTSC      [10/2/2013](#)      [8/14/2002](#)  
[6/16/11](#)

**Northern Illinois Women's Center (Closed)**  
Rockford, IL 61104

[Rep. Wallace \(District 67\)](#) [Rep. Cabello \(District 68\)](#)  
[Sen. Stadelman \(District 34\)](#) [Sen. Syverson \(District 35\)](#)

PTSC      [6/8/2011](#)      [8/2/1996](#)

patients.” ...”The suction machine in OR #1 contained clear water with specks of floating debris...five (5) of 5 recovery beds were rusty... Nine (9) medication cups, identified as containing Motrin and 10 medication cups containing tylenol contained crumbs” This clinic is currently being sued by the state of Illinois for failing to pay \$36,000 in health violation fines.

“Failed to ensure medication syringes were labeled and stored in a safe, clean area. This has the potential to affect up to 100% of patients.” Facility used single vial medication meant for only one patient on multiple patients directly violating the Center for Disease Control’s practice that “protects patients from life-threatening infections that occur when medications get contaminated from unsafe use.”

“OR#2 and #3 contained shoes stored with an open box of surgical gloves. Four (4) of 16 gynecological cannulas [surgical tools inserted into a woman’s uterus] in OR 2 were stained with a brown substance” In September of 2011, this women’s abortion clinic was closed on an emergency basis and its license was temporarily suspended following the discovery of egregious health and sanitary violations. This was the center’s first health and sanitary inspection in 15 years. On January 4, 2012, the women’s abortion clinic was allowed to re-open albeit pay a \$9,750 fine and be subject to immediate license

revocation if the clinic lapsed on certain state regulations. The abortion provider instead paid a \$1,000 fine and voluntarily relinquish its operating license and permanently closed.

<b>Springfield Health Center — Planned Parenthood</b>	<a href="#">Rep. Scherer (District 96)</a>	<a href="#">Rep. Mitchel (District 101)</a>	No	Never	Never	No health and sanitary inspection has been conducted in a Planned Parenthood in Illinois since 1999.
Springfield, IL 62703	<a href="#">Sen. Manar (District 48)</a>	<a href="#">Sen. Brady (District 44)</a>				
<b>Advantage Health Care LTD</b>	<a href="#">Rep. Willis (District 77)</a>	<a href="#">Rep. Winger (District 45)</a>	ASTC	<a href="#">10/4/2013</a>	<a href="#">8/21/1997</a> <a href="#">10/12/2012</a>	Facility failed to ensure a pre-anesthesia evaluation was conducted prior to administration of anesthesia.
Wooddale, IL 60191	<a href="#">Sen. Harmon (District 39)</a>	<a href="#">Sen. Kotowski (District 28)</a>				