

STATE OF MARYLAND

Maryland Department of Health and Mental Hygiene Office of Health Care Quality Spring Grove Center • Bland Bryant Building 55 Wade Avenue • Catonsville, Maryland 21228-4663 Larry Hogan, Governor - Boyd K. Rutherford, Lt. Governor - Van T. Mitchell, Secretary

April 14, 2016

Administrator
Hagerstown Reproductive Health Services
160 W Washington St, Suite 100
Hagerstown, MD 21740

RE: NOTICE OF COMPLIANCE WITH HEALTH COMPONENT REQUIREMENTS

Dear

On March 25, 2016 and April 7, 2016, a complaint investigation was conducted at your facility by the Office of Health Care Quality to determine if your agency was in compliance with State requirements for a Surgical Abortion Facility.

This survey found that your facility is in compliance with the health component of the requirements.

If you have any questions, please call Barbara Fagan at (410) 402-8040.

Sincerely,

Patricia Tomsko Nay Executive Director Office of Health Care Quality

Enclosure:

CMS-2567

cc:

File

PRINTED: 04/29/2016 FORM APPROVED Office of Health Care Quality STATEMENT OF DEFICIENCIES (X2) MULTIPLE CONSTRUCTION (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: B. WING SA000014 04/07/2016 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 160 W WASHINGTON ST, SUITE 100 HAGERSTOWN REPRODUCTIVE HEALTH SER HAGERSTOWN, MD 21740 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX PREFIX (EACH CORRECTIVE ACTION SHOULD BE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG TAG DEFICIENCY) A 000 Initial Comments A 000 A complaint investigation was conducted at Hagerstown Reproductive Health Service on March 25, 2016 and April 7, 2016. An exit interview was conducted on April 7, 2016. The center performs surgical abortion procedures. The facility includes two procedure rooms. Complaint number: MD00099967 The complaint was unsubstantiated. The complaint had one allegation The survey included: an on-site visit; an observational tour of the physical environment; observation of the pre-admission process: observation of one patient admission; observation of the patient laboratory (blood draw) process; observation of patient ultrasound process; observation of the registered nurse pre-operative assessment; observation of medication preparation; observation of patient education process; interview of the facility's administrator, registered nurse's, counselor's, and medical assistants: review of the policy and procedure manual; and review of staff training. No patient record reviews were performed. Findings in this report are based on data present in the administrative records at the time of review.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

A key code for medical staff and employees contained herein was provided to the

The administrator was kept informed of the survey findings as the survey progressed. The administrator was given the opportunity to present information relative to the findings during the

course of the survey.

administrator.

TITLE

(X6) DATE

PRINTED: 04/29/2016 FORM APPROVED

Office of Health Care Quality

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA

AND PLAN OF CORRECTION		IDENTIFICATION NUMBER:	A. BUILDING:		C 04/07/2016	
	SA000014					
NAME OF	PROVIDER OR SUPPLIER			STATE, ZIP CODE		
HAGERS	STOWN REPRODUCT	IVE DEALID SEK	ASHINGTON FOWN, MD 2	ST, SUITE 100 21740		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPRICENCY)	D BE C	(X5) COMPLETE DATE
A 000	Continued From pa	ge 1	A 000			
A 000	Hagerstown Reproc compliance with the ten, Department of	ductive Health Service is in e Health Component of Title Health and Mental Hygiene, t Health, 10.12.01 for Surgical	A 000			

OHCQ STATE FORM