


STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AC13910009	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 3/28/2016
NAME OF FACILITY EAST CYPRESS WOMEN'S CENTER, INC.		STREET ADDRESS, CITY, STATE, ZIP CODE 962 EAST CYPRESS CREEK FORT LAUDERDALE, FL 33334	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix AZ818	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 408.810(5) FS	Completed	Reg. #	Completed	Reg. #	Completed
LSC	03/28/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input checked="" type="checkbox"/>	REVIEWED BY (INITIALS) ASBL	DATE 4/5/16	SIGNATURE OF SURVEYOR 	DATE 4/5/16
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 1/19/2016		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY?		
		<input type="checkbox"/> YES <input type="checkbox"/> NO		



RICK SCOTT
GOVERNOR
ELIZABETH DUDEK
SECRETARY

April 6, 2016

Administrator
East Cypress Women's Center, Inc.
962 East Cypress Creek
Fort Lauderdale, FL 33334

Dear Administrator:


This letter reports the findings of state licensure survey revisit conducted on March 28, 2016 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,

for 
Arlene Mayo-Davis
Field Office Manager

AMD/dso
Enclosure: Revisit report

J5XD

Delray Beach Field Office
5150 Linton Boulevard, Suite 500
Delray Beach, FL 33484
Phone:(561) 381-5840; Fax:(561) 496-5924
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida