Division of Health Care Facilities (X3) DATE SURVEY COMPLETED (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** A. BUILDING: ___ R B. WING_ TNPL53526 04/03/2019 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE

KNOXVILLE CENTER FOR REPRODUCTIVE HE

1547 WEST CLINCH AVENUE

1200 8 10 Initial		DEFICIENCY)	DATE
1200-8-10 Initial	{A 001}		
A desk review for the Plan of Correction (POC) was conducted for all previous deficiencies cited on 3/5/19. All deficiencies have been corrected and no new noncompliance was found. The facility is in compliance with all regulations surveyed.			
f	was conducted for all previous deficiencies cited on 3/5/19. All deficiencies have been corrected and no new noncompliance was found. The acility is in compliance with all regulations	vas conducted for all previous deficiencies cited on 3/5/19. All deficiencies have been corrected and no new noncompliance was found. The facility is in compliance with all regulations	vas conducted for all previous deficiencies cited on 3/5/19. All deficiencies have been corrected and no new noncompliance was found. The facility is in compliance with all regulations

Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE