

papers topics



Featured Papers



My Followed Journals



My Followed Collections



My Followed Keywords



Create

JOURNAL ARTICLE REVIEW

First trimester surgical abortion

Sigrid Bri Tristan, Melissa Gilliam

Clinical Obstetrics and Gynecology 2009, 52 (2): 151-9

Google+ Facebook Twitter Print Add to 0Share

First trimester surgical abortion is a very common, effective, and safe procedure. When a pregnancy termination, counseling regarding pregnancy options and procedural risks, as assessment are vital to a successful outcome. If a patient decides to undergo a surgical abortion, either an electric or manual vacuum aspiration may be performed, based upon provider preference. Complications of first trimester surgical abortion occur in only 0.5% of all cases and include: failed abortion, incomplete abortion, hematometria, hemorrhage, infection, and uterine perforation.

Get Read on your iPhone, iPad and Android

³/₄ "The Flipboard for medical journals has arrived." —[iMedicalApps](#)



Read this article (multiple options)

Comments

You need to [log in](#) or [sign up](#) for an account to be able to comment.

No comments yet, be the first to post one!

Related Papers

[Suction curettage.](#)

[Surgical techniques of](#)

[Manual versus electric](#)

This website uses cookies to collect information and analytics about how you interact with our website and potentially to deliver custom promoted content. Learn more here: [Cookie Policy](#).

[Decline](#)

[Accept](#)

Methods for induced abortion.

Manual vacuum aspiration, a safe and effective alternative in early pregnancy termination.

pregnancy.

Major complications of 20,248 consecutive first trimester abortions: problems of fragmented care.

Cervical dilation before first-trimester surgical abortion (<14 weeks' gestation). SFP Guideline 20071.

[Abortion by means of suction curettage compared to the conventional metal curettage].