




- [Papers](#)
- [Journals](#)

**[authors:"Amy K Whitaker"](#)** returned 43 results

1. [Impact of a theory-based video on initiation of long-acting reversible contraception after abortion.](#)  
[AuTumn S Davidson](#), [Amy K Whitaker](#), [Summer L Martins](#), [Brandon Hill](#), [Caroline Kuhn](#), [Catherine Hagbom-Ma](#), and [Melissa Gilliam](#)

[American Journal of Obstetrics and Gynecology 212\(3\):310.e1 \(2015\) PMID 25265403](#)

Adoption of long-acting reversible contraception (LARC) (ie, the intrauterine device or the contraceptive implant) immediately after abortion is associated with high contraceptive satisfaction and reduced rates of repeat abortion. Theory-based counseling interventions have been demonstrated to i...

[View PDF](#)

- [Find it at Genzyme](#)
- 

2. [Postplacental insertion of the levonorgestrel intrauterine device after cesarean delivery vs. delayed insertion: a randomized controlled trial.](#)

[Amy K Whitaker](#), [Loraine K Endres](#), [Stephanie Q Mistretta](#), and [Melissa L Gilliam](#)

[Contraception 89\(6\):534 \(2014\) PMID 24457061](#)

This trial was designed to compare levonorgestrel intrauterine device (LNG-IUD) use at 1 year after delivery between women randomized to postplacental insertion at the time of cesarean delivery and delayed insertion 4-8 weeks after delivery. This randomized controlled trial was conducted at two ...

[View PDF](#)

- [Find it at Genzyme](#)
- 

3. [Postplacental insertion of the levonorgestrel intrauterine device after cesarean delivery vs. delayed insertion: a randomized controlled trial.](#)

[Amy K Whitaker](#), [Loraine K Endres](#), [Stephanie Q Mistretta](#), and [Melissa L Gilliam](#)

[Contraception 89\(6\):534 \(2014\) PMID 24457061](#)

This trial was designed to compare levonorgestrel intrauterine device (LNG-IUD) use at 1 year after delivery between women randomized to postplacental insertion at the time of cesarean delivery and delayed insertion 4-8 weeks after delivery. This randomized controlled trial was conducted at two ...

[View PDF](#)

- [Find it at Genzyme](#)
- 

4. [Postplacental insertion of the levonorgestrel intrauterine device after cesarean delivery vs. delayed insertion: a randomized controlled trial](#)

[Amy K. Whitaker](#), [Loraine K. Endres](#), [Stephanie Q. Mistretta](#), and [Melissa L. Gilliam](#)

[Contraception 89\(6\):534 \(2014\)](#)

Objective This trial was designed to compare levonorgestrel intrauterine device (LNG-IUD) use at 1 year after delivery between women randomized to postplacental insertion at the time of cesarean delivery and delayed

insertion 4–8 weeks after delivery.

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

5. [Postplacental insertion of the levonorgestrel intrauterine device after cesarean delivery vs. delayed insertion: a randomized controlled trial.](#)

[Amy K Whitaker](#), [Loraine K Endres](#), [Stephanie Q Mistretta](#), and [Melissa L Gilliam](#)

[Contraception 89\(6\):534 \(2014\) PMID 24457061](#)

This trial was designed to compare levonorgestrel intrauterine device (LNG-IUD) use at 1 year after delivery between women randomized to postplacental insertion at the time of cesarean delivery and delayed insertion 4-8 weeks after delivery. This randomized controlled trial was conducted at two ...

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

6. [Antenatal Contraceptive Counseling Experiences and Intent to use Postpartum Contraception Among Young, Urban, Postpartum Women](#)

[Marie-Teresa Colbert](#), [Elizabeth Munroe](#), [Sabrina Holmquist](#), and [Amy K. Whitaker](#)

[Journal of Pediatric and Adolescent Gynecology 27\(2\):e49 \(2014\)](#)

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

7. [Correlates of pregnancy before age 15 compared with pregnancy between the ages of 15 and 19 in the United States.](#)

[Marcela Smid](#), [Summer Martins](#), [Amy K Whitaker](#), and [Melissa Gilliam](#)

[Obstetrics & Gynecology 123\(3\):578 \(2014\) PMID 24499756](#)

To compare pregnancy risk factors and outcomes between females in the United States with pregnancy occurring before age 15 years and between ages 15 and 19 years. We analyzed data from the 2006 to 2010 National Survey of Family Growth. Our sample included women aged 20 to 44 years at the time of...

[Buy PDF](#)

◦ [Find it at Genzyme](#)

◦

8. [Correlates of pregnancy before age 15 compared with pregnancy between the ages of 15 and 19 in the United States.](#)

[Marcela Smid](#), [Summer Martins](#), [Amy K Whitaker](#), and [Melissa Gilliam](#)

[Obstetrics & Gynecology 123\(3\):578 \(2014\) PMID 24499756](#)

To compare pregnancy risk factors and outcomes between females in the United States with pregnancy occurring before age 15 years and between ages 15 and 19 years. We analyzed data from the 2006 to 2010 National Survey of Family Growth. Our sample included women aged 20 to 44 years at the time of...

[Buy PDF](#)

◦ [Find it at Genzyme](#)

◦

9. [Use of the intrauterine device among adolescent and young adult women in the United States from 2002 to 2010.](#)

[Amy K Whitaker](#), [Katherine M Sisco](#), [Ashley N Tomlinson](#), [Annie M Dude](#), and [Summer L Martins](#)

[Journal of Adolescent Health 53\(3\):401 \(2013\) PMID 23763968](#)

Long-acting contraceptives, such as the intrauterine device (IUD), show potential for decreasing the incidence of unintended pregnancy. However, use among adolescent and young adult women remains low. We determined

factors associated with IUD use among young women. We conducted an analysis of na...

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

10. [Use of the Intrauterine Device Among Adolescent and Young Adult Women in the United States From 2002 to 2010](#)

[Amy K. Whitaker](#), [Katherine M. Sisco](#), [Ashley N. Tomlinson](#), [Annie M. Dude](#), and [Summer L. Martins](#)

[Journal of Adolescent Health 53\(3\):401 \(2013\)](#)

Purpose Long-acting contraceptives, such as the intrauterine device (IUD), show potential for decreasing the incidence of unintended pregnancy. However, use among adolescent and young adult women remains low. We determined factors associated with IUD use among young women. ...

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

11. [A missed opportunity for care: two-visit IUD insertion protocols inhibit placement](#)  
[Ashlee Bergin](#), [Sigrid Tristan](#), [Mishka Terplan](#), [Melissa L. Gilliam](#), and [Amy K. Whitaker](#)

[Contraception 86\(6\):694 \(2012\)](#)

Background The intrauterine device (IUD) is a safe, long-acting, highly effective method of birth control. Two-visit protocols for IUD insertion may represent a barrier to IUD uptake.

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

12. [A missed opportunity for care: two-visit IUD insertion protocols inhibit placement.](#)  
[Ashlee Bergin](#), [Sigrid Tristan](#), [Mishka Terplan](#), [Melissa L Gilliam](#), and [Amy K Whitaker](#)

[Contraception 86\(6\):694 \(2012\) PMID 22770798](#)

The intrauterine device (IUD) is a safe, long-acting, highly effective method of birth control. Two-visit protocols for IUD insertion may represent a barrier to IUD uptake. This study is a retrospective database review. We identified Medicaid-insured women who requested IUDs in our urban univers...

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

13. [A missed opportunity for care: two-visit IUD insertion protocols inhibit placement.](#)  
[Ashlee Bergin](#), [Sigrid Tristan](#), [Mishka Terplan](#), [Melissa L Gilliam](#), and [Amy K Whitaker](#)

[Contraception 86\(6\):694 \(2012\) PMID 22770798](#)

The intrauterine device (IUD) is a safe, long-acting, highly effective method of birth control. Two-visit protocols for IUD insertion may represent a barrier to IUD uptake. This study is a retrospective database review. We identified Medicaid-insured women who requested IUDs in our urban univers...

[View PDF](#)

◦ [Find it at Genzyme](#)

◦

14. [Cervical cancer screening, diagnosis and treatment interventions for racial and ethnic minorities: a systematic review.](#)

[Susan B Glick](#), [Amanda R Clarke](#), [Anita Blanchard](#), and [Amy K Whitaker](#)

[Journal of General Internal Medicine 27\(8\):1016 \(2012\) PMID 22798213 PMCID PMC3403140](#)

To systematically review the literature to determine which interventions improve the screening, diagnosis or treatment of cervical cancer for racial and/or ethnic minorities. Medline on OVID, Cochrane Register of Controlled Trials, CINAHL, PsycINFO and Cochrane Systematic Reviews. We searched th...

View PDF

- [Find it at Genzyme](#)
- 

15. [Cervical cancer screening, diagnosis and treatment interventions for racial and ethnic minorities: a systematic review.](#)

[Susan B Glick](#), [Amanda R Clarke](#), [Anita Blanchard](#), and [Amy K Whitaker](#)

[Journal of General Internal Medicine 27\(8\):1016 \(2012\) PMID 22798213 PMCID PMC3403140](#)

To systematically review the literature to determine which interventions improve the screening, diagnosis or treatment of cervical cancer for racial and/or ethnic minorities. Medline on OVID, Cochrane Register of Controlled Trials, CINAHL, PsycINFO and Cochrane Systematic Reviews. We searched th...

View PDF

- [Find it at Genzyme](#)
- 

16. [Awareness and knowledge of the intrauterine device in adolescents.](#)

[Maria Barrett](#), [Reni Soon](#), [Amy K Whitaker](#), [Sarah Takekawa](#), and [Bliss Kaneshiro](#)

[Journal of Pediatric and Adolescent Gynecology 25\(1\):39 \(2012\) PMID 22051791](#)

The purpose of this study was to explore intrauterine device (IUD) awareness and knowledge in a diverse, multiethnic population. We conducted a self-administered, anonymous survey addressing awareness of the IUD as a contraceptive method and knowledge about aspects of IUD use in a group of women...

View PDF

- [Find it at Genzyme](#)
- 

17. [Awareness and knowledge of the intrauterine device in adolescents.](#)

[Maria Barrett](#), [Reni Soon](#), [Amy K Whitaker](#), [Sarah Takekawa](#), and [Bliss Kaneshiro](#)

[Journal of Pediatric and Adolescent Gynecology 25\(1\):39 \(2012\) PMID 22051791](#)

The purpose of this study was to explore intrauterine device (IUD) awareness and knowledge in a diverse, multiethnic population. We conducted a self-administered, anonymous survey addressing awareness of the IUD as a contraceptive method and knowledge about aspects of IUD use in a group of women...

View PDF

- [Find it at Genzyme](#)
- 

18. [Awareness and Knowledge of the Intrauterine Device in Adolescents](#)

[Maria Barrett](#), [Reni Soon](#), [Amy K. Whitaker](#), [Sarah Takekawa](#), and [Bliss Kaneshiro](#)

[Journal of Pediatric and Adolescent Gynecology 25\(1\):39 \(2012\)](#)

Background The purpose of this study was to explore intrauterine device (IUD) awareness and knowledge in a diverse, multiethnic population.

View PDF

- [Find it at Genzyme](#)
- 

19. [Parental involvement laws and parent-daughter communication: policy without proof.](#)

[Robert D Webster](#), [Amy Neustadt](#), [Amy K Whitaker](#), and [Melissa L Gilliam](#)

[Contraception 82\(4\):310 \(2010\) PMID 20851223](#)

View PDF

- [Find it at Genzyme](#)
- 

20. [Parental involvement laws and parent-daughter communication: policy without proof.](#)

[Robert D Webster](#), [Amy Neustadt](#), [Amy K Whitaker](#), and [Melissa L Gilliam](#)

[Contraception 82\(4\):310 \(2010\) PMID 20851223](#)

View PDF

◦  [Find it at Genzyme](#)

◦

- [«](#)
- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)
- [»](#)



×

## Save papers with Bookmarks

Place any articles on Pubget into your Bookmark folder to read later, download citations, or send to a colleague. Create an account or sign in to create your bookmarks.

[Start bookmarking papers!](#) [Sign in to bookmark](#)



×

## Create Your Own Updates

Pubget Updates Html

[Start getting updates!](#) [Sign in to manage updates](#)

---

Copyright ©2017 [Pubget](#) [Copyright Clearance Center](#) [Terms](#) [Privacy](#)