

# Incident Detail Report

Data Source: **Data Warehouse**  
 Incident Status: **Closed**  
 Incident number: **03312022-2131730**  
 Case Numbers:  
 Incident Date: **3/31/2022 15:21:04**  
 Report Generated: **4/14/2022 16:37:48**

**Incident Information**

<b>Incident Type:</b>	21B-Hemorrhage	<b>Alarm Level:</b>	1
<b>Priority:</b>	P3 Moderate	<b>Problem:</b>	21B-Hemorrhage/Lacerations
<b>Determinant:</b>	21B01M	<b>Agency:</b>	Fire Department Communications
<b>Base Response#:</b>	03312022-0232426	<b>Jurisdiction:</b>	Clark County (05031)
<b>Confirmation#:</b>	03312022-1295465	<b>Division:</b>	Div 02
<b>Taken By:</b>	Sabrina K Dawson	<b>Battalion:</b>	Bat 02
<b>Response Area:</b>	Bat 02	<b>Response Plan:</b>	Rescue Response
<b>Disposition:</b>	MDTC-Call Completed by MDT	<b>Command Ch:</b>	Bat 2
<b>Cancel Reason:</b>		<b>Primary TAC:</b>	Bat 2
<b>Incident Status:</b>	Closed	<b>Secondary TAC:</b>	
<b>Certification:</b>		<b>Delay Reason (if any):</b>	
<b>Longitude:</b>	115130538	<b>Latitude:</b>	36114578

**Incident Location**

<b>Location Name:</b>	BU A TO Z WOMENS CENTER	<b>County:</b>	CLARK
<b>Address:</b>	1670 E Flamingo Rd	<b>Location Type:</b>	Business
<b>Apartment:</b>	C	<b>Cross Street:</b>	ALGONQUIN DR/SPENCER ST
<b>Building:</b>		<b>Map Reference:</b>	02826-14
<b>City, State, Zip:</b>	Clark County NV 89119		

**Call Receipt**

<b>Caller Name:</b>	A-Z WOMENS CENTER	<b>Call Back Phone:</b>	[REDACTED]
<b>Method Received:</b>		<b>Caller Location:</b>	1670 E FLAMINGO RD
<b>Caller Type:</b>		<b>Caller Location Phone:</b>	892-0660
<b>Caller Address:</b>		<b>Caller Apartment:</b>	
<b>Caller Building:</b>		<b>Caller County:</b>	
<b>Caller City, State, Zip:</b>			

**Time Stamps**

Description	Date	Time	User	Elapsed Times Description	Time
Phone Pickup	3/31/2022	15:21:04			
1st Key Stroke	3/31/2022	15:21:07		Received to In Queue	00:01:44
In Waiting Queue	3/31/2022	15:22:48		Call Taking	00:02:10
Call Taking Complete	3/31/2022	15:23:14	Sabrina K Dawson	In Queue to 1st Assign	00:00:01
1st Unit Assigned	3/31/2022	15:22:49		Call Received to 1st Assign	00:01:45
1st Unit Enroute	3/31/2022	15:24:41		Assigned to 1st Enroute	00:01:52.7
1st Unit Arrived	3/31/2022	15:31:05		Enroute to 1st Arrived	00:06:23.9
Closed	3/31/2022	15:40:07	Mobile1	Incident Duration	00:19:03

**Resources Assigned**

Unit	Primary Flag	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
SQ18	Y	15:22:49	MDTC-Call Completed by MDT	15:24:41		15:31:05			15:40:07			

**Personnel Assigned**

**No Personnel Assigned**

**Caution Notes**

Notes	Type	Priority
FZ06 Sunrise Hospital Level 2 Trauma Center Catchment area	Region Region	Low Low

**Pre-Scheduled Information**

**No Pre-Scheduled Information**

**Transports**

**No Transports Information**

**Transport Legs**

**No Transports Information**

**Comments**

Date	Time	User	Type	Conf.	Comments
3/31/2022	15:21:04	SYS	Response		Class of Service : VOIP [ProQA Dispatch]

3/31/2022	15:22:47	SKD	Response	Dispatch Level: 21B01 Suffix: M Response Text: B 33-year-old, Female, Conscious, Breathing. Chief Complaint: 21, CCText: Non-traumatic (medical) bleeding
3/31/2022	15:22:48	C2CI	Response	Unable to find destination using geographic location. Manual transmission may be required.
3/31/2022	15:22:48	C2CI	Response	This incident 03312022-2131730 has been sent to COMMAMBULANCEIEMS via the CAD2CAD Interface.
3/31/2022	15:22:53	C2CI	Response	Acknowledgement Received from COMMAMBULANCEIEMS 22055896
3/31/2022	15:23:10	SKD	Response	33 YOF C/B SERIOUS BLEED AFTER ABORTION CALL SCREENED - NEGATIVE FOR COVID-19 RISK FACTORS
3/31/2022	15:23:30	C2CI	Response	Unit C312; Status: Dispatched at 03/31/2022 15:23:30; Location: 3022 E Tropicana Ave
3/31/2022	15:23:53	C2CI	Response	Unit C312; Status: En Route at 03/31/2022 15:23:52
3/31/2022	15:30:06	C2CI	Response	Unit C312; Status: On Scene at 03/31/2022 15:30:06
3/31/2022	15:46:21	C2CI	Response	Transport To changed from null to H6 - SUNRISE HOSP.
3/31/2022	15:46:23	C2CI	Response	Unit C312; Status: To Facility at 03/31/2022 15:46:22; Transporting to H6 - SUNRISE HOSP.
3/31/2022	16:41:20	C2CI	Response	Incident was closed/canceled by COMMAMBULANCE, Cancel Reason: Disposition: Complete

**Address Changes**  
**No Address Changes**

**Priority Changes**  
**No Priority Changes**

**Alarm Level Changes**

Date	Time	User	Change to Alarm
3/31/2022	15:22:49	AD	1

**Activity Log**

Date	Time	Radio	Activity	Location	Log Entry
3/31/2022	15:22:47		Incident Command Channel		Command Channel Bat 2 has been added.
3/31/2022	15:22:47		Incident Primary TAC Channel		Primary TAC Channel Bat 2 has been added.
3/31/2022	15:22:48		Read Comment		Comment for Incident 794 was Marked as Read.
3/31/2022	15:22:48		ANI/ALI Statistics		INT Insert:Mar 31 2022 15:21:02 / INT SendNP:Mar 31 2022 15:21:02 / WS RecvNP:Mar 31 2022 15:21:02 / WS Process:Mar 31 2022 15:22:48
3/31/2022	15:22:48		Incident in Waiting Queue		
3/31/2022	15:22:48		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired
3/31/2022	15:22:48		ProQA Interface	1670 E Flamingo Rd	ProQA determinant sent This incident 03312022-2131730 has been sent to COMMAMBULANCEIEMS via the CAD2CAD Interface.
3/31/2022	15:22:48		Incident Timer Clear Interface		Incident Timer Cleared This incident 03312022-2131730 has been sent to COMMAMBULANCEIEMS via the CAD2CAD Interface.
3/31/2022	15:22:49		Automatic Dispatch		Automatic Dispatch Successful for DYNAMIC-Rescue Response - Alarm level 1
3/31/2022	15:22:49	SQ18	01 - Dispatched	1670 E Flamingo Rd [BU A TO Z WOMENS CENTER]	Response Number (03312022-0232426)
3/31/2022	15:22:52				Incident ACK received from Remote CAD 22055896
3/31/2022	15:22:53		Remove Waiting Pending Incident Warning		Removing Waiting Pending Incident Time Warning timer expired
3/31/2022	15:23:14		UserAction		User clicked Exit/Save
3/31/2022	15:24:41	SQ18	02 - Responding	1670 E Flamingo Rd, APT C [BU A TO Z WOMENS CENTER]	Responding From = Station 18A.
3/31/2022	15:31:05	SQ18	04 - At Scene	1670 E Flamingo Rd, APT C [BU A TO Z WOMENS CENTER]	
3/31/2022	15:39:01	SQ18	Response Closed	BU A TO Z WOMENS CENTER	Response Disposition: MDTC-Call Completed by MDT
3/31/2022	15:40:07	SQ18	11 - Available	1670 E Flamingo Rd, APT C [BU A TO Z WOMENS CENTER]	Unit Cleared From Incident 03312022-2131730
3/31/2022	15:40:07	SQ18	Disposition	BU A TO Z WOMENS CENTER	MDTC-Call Completed by MDT

**Edit Log**

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
3/31/2022	15:21:04	Address	(Blank)	1670 E FLAMINGO RD	New Entry	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:04	Call_Back_Phone		[REDACTED]	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Longitude	0	115130538	Premise Verified	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Latitude	0	36114578	Premise Verified	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	City		Clark County	Updated City	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Address	1670 E FLAMINGO RD	1670 E FLAMINGO RD	Premise Verified	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Primary_TAC_Channel		Bat 2	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Command_Channel		Bat 2	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Response_Area		Bat 02	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Battalion		Bat 02	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Division		Div 02	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:06	Jurisdiction		Clark County (05031)	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:21:13	Apartment		C	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:47	ProQaCaseNumber		8233794	(Response Viewer)	Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:47	CommandChannel		Bat 2	(Response Viewer)	Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:47	PrimaryTACChannel		Bat 2	(Response Viewer)	Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	CIS_Used	0	null	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	EMD_Used	0	1	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	Determinant		21B01M	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	Incident_Type		21B-Hemorrhage	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	ResponsePlanType	0	1	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	DispatchLevel		Default	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	Response_Plan		Rescue Response	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:22:48	Problem		21B-Hemorrhage/Lacerations	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:23:08	CIS_Used	0	null	(Response Viewer)	Response_Master_Incident	CCFLAS01	DSP03SKD
3/31/2022	15:23:08	ProQATerminationStateCode		C	(Response Viewer)	Incident	CCFLAS01	DSP03SKD

Custom Time Stamps  
 No Custom Time Stamps

Custom Data Fields  
 No Custom Data Fields

Attachments  
 No Attachment