

# Incident Detail Report

**Incident Status** Closed  
**Incident Number** DP-110223-0049240  
**Incident Date** 11/2/2023 13:12:33

## Incident Information

<b>Incident Type:</b>	HEMORRHAGE	<b>Alarm Level:</b>	1
<b>Priority:</b>	P2 EMERGENCY MAJOR/ALS	<b>Problem:</b>	HEMORRHAGE
<b>Determinant:</b>	21B01T	<b>Agency:</b>	RED
<b>Base Response #:</b>		<b>Jurisdiction:</b>	DES PLAINES
<b>Confirmation #:</b>		<b>Division:</b>	STATION 61
<b>Taken By:</b>	Weston, Shannon M	<b>Battalion:</b>	STATION 61
<b>Response Area:</b>	DP DIST 61	<b>Response Plan:</b>	DP-ALS MEDICAL
<b>Disposition:</b>	INCIDENT COMPLETED	<b>Command Ch:</b>	
<b>Cancel Reason:</b>		<b>Primary TAC:</b>	FIREGROUND RED
<b>Incident Status:</b>	Closed	<b>Alternate TAC:</b>	
<b>Certification:</b>		<b>Delay Reason:</b>	
<b>Longitude:</b>	87887944	<b>Latitude:</b>	42051151
<b>MGRS:</b>	16TDM2652155836	<b>UTM:</b>	16T 426521 4655837

## Incident Location

<b>Location Name:</b>	AMERICAN WOMEN'S MEDICAL CENTER	<b>County:</b>	COOK
<b>Address:</b>	110 S Des Plaines River Rd	<b>Location Type:</b>	MEDICAL CENTER
<b>Apartment:</b>	7	<b>Cross Street:</b>	Redeker Rd/Railroad Tracks
<b>Building:</b>		<b>Tow Provider Area:</b>	
<b>City, State, Zip:</b>	DES PLAINES, IL 60016	<b>Map Reference:</b>	6183

## Call Receipt

<b>Caller Name:</b>		<b>Call Back Phone:</b>	847-294-9614
<b>Method Received:</b>	E_E911	<b>Caller Location:</b>	
<b>Caller Type:</b>		<b>Caller Apt/Bldg:</b>	/
<b>Caller Address:</b>		<b>Caller County:</b>	
<b>Caller City, State, Zip:</b>			

**Time Stamps**

Description	Date	Time	User
Phone Pickup	11/2/2023	13:11:41	
1st Key Stroke	11/2/2023	13:11:41	
In Pending Queue	11/2/2023	13:12:35	
Call Taking Complete	11/2/2023	13:14:12	Weston, Shannon
1st Unit Assigned	11/2/2023	13:12:36	
1st Unit Enroute	11/2/2023	13:13:13	
1st Unit Arrived	11/2/2023	13:14:42	
Incident Under Control			
Time Sent to Other CAD			
Incident Closed	11/2/2023	13:45:51	Mobile1

**Elapsed Times**

Description	Time
Received to In Queue	00:00:02
Call Taking	00:01:39
In Queue To 1st Assign	00:00:01
Call Received to 1st Assign	00:00:55
Assigned to 1st Enroute	00:00:37.6
Enroute to 1st Arrived	00:01:29.0
Incident Duration	00:34:10

**ANI/ALI Calls**

No ANI/ALI Calls

**Units Assigned**

Unit	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
A61	11/2/2023 13:12:36	INCIDENT COMPLETED	11/2/2023 3 13:13:13		11/2/2023 13:14:42			11/2/2023 13:45:51		0	
E61	11/2/2023 13:12:36	INCIDENT COMPLETED	11/2/2023 3 13:13:41		11/2/2023 13:14:44			11/2/2023 13:24:25			

**Personnel Assigned**

Unit	Name
A61	AMBULANCE 61 (DPA61)
E61	ENGINE 61 (DPE61)

**Pre-Scheduled Information**

No Pre-Scheduled Information

**Special Equipment**

No Special Equipment

**Transports**

Unit	Location/Address City, State, Zip, Phone	Patient	Mode	Protocol	Mileage			
					Start/End/Total	Depart	Arrived	Complete
A61	LGH / 1775 DEMPSTER ST  PARK RIDGE, IL 60068		COLD RESPONSE	CREW DISCRETION	0.0/0.0/0.0	11/2/2023 13:24:09	11/2/2023 13:33:10	11/2/2023 13:45:51

**Transport Legs**

## No Transport Legs

### Comments

Date	Time	User	Type	Confidential	Comment
11/2/2023	13:11:55	Automatic by System	Response		[1] [Address: 110 S DES PLAINES RIVER RD [AMERICAN WOMEN'S MEDICAL CENTER]] [High] [SEND POLICE ON ALL CALLS] DO NOT CALL BACK 911 HANGUPS**SEND POLICE**THIS IS THE AMERICAN WOMENS SERVICES-DO NOT CALL BACK ON 911 HANGUPS ** SEND POLICE**
11/2/2023	13:11:55	Automatic by System	Response		[2] [Premise: 110 S DES PLAINES RIVER RD [AMERICAN WOMEN'S MEDICAL CENTER]] [High] [SEND POLICE ON ALL CALLS] DO NOT CALL BACK 911 HANGUPS**SEND POLICE**THIS IS THE AMERICAN WOMENS SERVICES-DO NOT CALL BACK ON 911 HANGUPS ** SEND POLICE**
11/2/2023	13:11:59	SMW	Response		[3] STE 7
11/2/2023	13:12:18	SMW	Response		[4] TRANS BY CCSO
11/2/2023	13:12:36	AUTODISP	Response		[5] Automatic Case Number(s) issued for Incident # [DP-110223-0049240], Jurisdiction: DES PLAINES. Case Number(s): 23-00044875. requested by A61.
11/2/2023	13:12:40	USDD	Response		[6] Dispatch Alert successful: Station(s) ; Radio(s) E61,A61
11/2/2023	13:12:43	SMW	Response		[7] AFTER A PROCEDURE
11/2/2023	13:13:04	SMW	Response		[8] 30-year-old, Female, Conscious, Breathing. Chief Complaint: , CCText: Hemorrhage (Bleeding) / Lacerations
11/2/2023	13:13:26	SMW	Response		[9] 39-year-old, Female, Conscious, Breathing.
11/2/2023	13:13:58	SMW	Response		[10] Dispatch Level: 21B01 (POSSIBLY DANGEROUS hemorrhage) Suffix: T (TRAUMA) Response Text: B
11/2/2023	13:13:58	SMW	Response		[11] > Vaginal bleeding. > Not pregnant. > No bleeding disorder or blood thinners. > Bleeding is traumatic. > Responding nllly. > Breathing nllly. > No blood spurting/pouring out.
11/2/2023	13:15:15	SMW	Response		[12] DP PD ENROUTE

## Address Changes

No Address Changes

## Priority Changes

No Priority Changes

## Transport Changes

No Transport Changes

## Transport Priority Changes

No Transport Priority Changes

## Alarm Level Changes

Date	Time	User	Changed to Alarm
------	------	------	------------------

11/2/2023 13:12:36 Automatic Dispatch Alarm

**Activity Log**

Date	Time	Unit	Activity	Location	Log Entry	User
11/2/2023	13:11:55		Read Comment		Comment for Incident 390 was marked as read.	SMW
11/2/2023	13:12:35		Incident in Waiting Queue			
11/2/2023	13:12:35		Read Comment		Comment for Incident 390 was Marked as Read.	SMW
11/2/2023	13:12:35		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired	
11/2/2023	13:12:35		Problem Nature	110 S Des Plaines River Rd	Incident problem nature changed from <Blank> to HEMORRHAGE	SMW
11/2/2023	13:12:36		Automatic Dispatch		Automatic Dispatch Successful for DYNAMIC-DP-ALS MEDICAL - Alarm level 1	AUTODISP
11/2/2023	13:12:36	A61	DISPATCHED	110 S Des Plaines River Rd [AMERICAN WOMEN'S MEDICAL CENTER]		AUTODISP
11/2/2023	13:12:36	E61	DISPATCHED	110 S Des Plaines River Rd [AMERICAN WOMEN'S MEDICAL CENTER]		AUTODISP
11/2/2023	13:12:36	A61	Automatic Case Number	DES PLAINES STA 61	Automatic Case Number(s) issued for Incident # [DP-110223-0049240], Jurisdiction: DES PLAINES. Case Number(s): 23-00044875.	AUTODISP
11/2/2023	13:12:36		Read Comment	110 S Des Plaines River Rd	Comment for Incident 390 was marked as read.	AUTODISP
11/2/2023	13:12:36		Incident Primary TAC Channel	110 S Des Plaines River Rd	Primary TAC Channel FIREGROUND RED has been added.	AUTODISP
11/2/2023	13:12:36		Incident Timer Clear		Incident Timer Cleared	
11/2/2023	13:12:36	E61	Case Number	DES PLAINES STA 61	Case number not created because One Case Number per incident is enabled.	AUTODISP
11/2/2023	13:12:40	E61	Station Alert		USDD has sent the following message: E61,A61 successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
11/2/2023	13:12:40	A61	Station Alert		USDD has sent the following message: E61,A61 successfully ACK'd incident <incidentNumber> from <terminalID>	USDD
11/2/2023	13:13:13	A61	ENROUTE	110 S Des Plaines River Rd, APT 7 [AMERICAN	Responding From = DES PLAINES STA 61.	A61

11/2/2023	13:13:41	E61	ENROUTE	WOMEN'S MEDICAL CENTER] 110 S Des Plaines River Rd, APT 7 [AMERICAN WOMEN'S MEDICAL CENTER]	Responding From = DES PLAINES STA 61.	E61
11/2/2023	13:13:54		Read Comment		Comment for Incident 390 was Marked as Read.	SMW
11/2/2023	13:13:58		Read Comment	110 S Des Plaines River Rd	Comment for Incident 390 was marked as read.	SMW
11/2/2023	13:13:58		ProQA Determinant not configured in CAD	110 S Des Plaines River Rd	Determinant 21B01T received by ProQA does not match ProQA Code for any agency.	SMW
11/2/2023	13:13:58		ProQA	110 S Des Plaines River Rd	ProQA determinant sent	SMW
11/2/2023	13:14:14		Read Incident		Incident 390 was Marked as Read.	SMW
11/2/2023	13:14:14		Read Comment		Comment for Incident 390 was Marked as Read.	SMW
11/2/2023	13:14:35		Remove Waiting Pending Incident Warning		Removing Waiting Pending Incident Time Warning timer expired	
11/2/2023	13:14:42	A61	ON SCENE	110 S Des Plaines River Rd, APT 7 [AMERICAN WOMEN'S MEDICAL CENTER]		A61
11/2/2023	13:14:44	E61	ON SCENE	110 S Des Plaines River Rd, APT 7 [AMERICAN WOMEN'S MEDICAL CENTER]		E61
11/2/2023	13:15:15		Read Comment	110 S Des Plaines River Rd	Comment for Incident 390 was marked as read.	SMW
11/2/2023	13:15:39		Read Comment		Comment for Incident 390 was Marked as Read.	AH
11/2/2023	13:16:05		Premise History Access		Premise History Viewed	SMW
11/2/2023	13:16:17		Premise History Access		Premise History Viewed	AH
11/2/2023	13:16:23		Caution Note Info. Access		Caution Note Viewed	AH
11/2/2023	13:16:39		Premise History Access		Premise History Viewed	AH
11/2/2023	13:24:09	A61	ENROUTE TO HOSPITAL	1775 DEMPSTER ST [ADVOCATE LUTHERAN GENERAL HOSPITAL]	Odometer - 0.0	A61
11/2/2023	13:24:09	A61	ENROUTE TO HOSPITAL	1775 DEMPSTER ST [ADVOCATE LUTHERAN GENERAL HOSPITAL]	Transport Priority - COLD RESPONSE; Protocol - CREW DISCRETION	A61
11/2/2023	13:24:25	E61	AVAILABLE	110 S Des Plaines River Rd, APT 7 [AMERICAN WOMEN'S MEDICAL CENTER]	Unit Cleared From Incident DP-110223-0049240	E61

11/2/2023	13:33:10	A61	ARRIVED AT HOSPITAL	1775 DEMPSTER ST [ADVOCATE LUTHERAN GENERAL HOSPITAL]		A61
11/2/2023	13:33:10	A61	Transport Time	1775 DEMPSTER ST [ADVOCATE LUTHERAN GENERAL HOSPITAL]	Depart Scene Time: 11/02/2023 13:24:09, Arrive Destination Time: 11/02/2023 13:33:09	A61
11/2/2023	13:45:51	A61	AVAILABLE	110 S Des Plaines River Rd, APT 7 [AMERICAN WOMEN'S MEDICAL CENTER]	Unit Cleared From Incident DP-110223-0049240	A61
11/2/2023	13:45:51	A61	Response Closed	AMERICAN WOMEN'S MEDICAL CENTER	Response Disposition: INCIDENT COMPLETED	A61

### Edit Log

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
11/2/2023	13:11:40	Agency Name		RED	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:11:43	Address	(Blank)	110 S DES	New Entry	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:55	Address	110 S DES	110 S DES PLAINES RIVER RD	Premise Verified	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:55	Latitude	0	42051151	Premise Verified	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:55	Longitude	0	87887944	Premise Verified	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:55	Unread Comment	False	True	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:11:56	City		DES PLAINES	Updated City	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:56	Jurisdiction		DES PLAINES	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:56	Division		STATION 61	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:56	Battalion		STATION 61	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:56	Response_Area		DP DIST 61	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:11:56	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:08	Call_Back_Phone		847-294-9614	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:08	Call Back Phone		847-294-9614	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:12:12	Caller_Name		MARYELLA	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:26	MethodOfCallRcvd		E_E911	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:35	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW

11/2/2023	13:12:35	Problem		HEMORRHA GE	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:36	Pickup_Map_Info		6183		Response_Transports	POS3-CAD	SMW
11/2/2023	13:12:36	Map_Info		6183		Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:12:36	Unread Comment	False	True	(Response Viewer)	Incident	REDWEBSRV	AUTODISP
11/2/2023	13:12:36	Primary TAC Channel		FIREGROUND RED	(Response Viewer)	Incident	REDWEBSRV	AUTODISP
11/2/2023	13:12:47	Pro Qa Case Number		621390	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:13:54	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:13:58	Determinant		21B01T	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:13:58	EMD_Used	0	1	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:13:58	CIS_Used	0	null	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:13:58	Unread Comment	False	True	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:14:03	CIS_Used	0	null	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:14:03	Pro QA Termination State Code		C	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:14:03	ProQATerminationS tateCode		C	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:14:14	Read Call	False	True	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:14:14	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	POS3-CAD	SMW
11/2/2023	13:15:15	Unread Comment	False	True	(Response Viewer)	Incident	POS3-CAD	SMW
11/2/2023	13:15:39	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	CADWKS234	AH

## Custom Time Stamps

No Custom Time Stamps

## Custom Data Fields

No Custom Data Fields

## Case Number

Case Number	Method	Radio Name
23-00044875	Automatic	A61

## Attachments

No Attachments

## Dispositions

<b>Date</b>	<b>Time</b>	<b>Unit</b>	<b>Disposition</b>	<b>User</b>
11/2/2023	13:24:25	E61	INCIDENT COMPLETED	E61
11/2/2023	13:45:51		INCIDENT COMPLETED	A61

## Supplemental Person

**No Supplemental Persons**

## Supplemental Property

**No Supplemental Property**

## Supplement Vehicle

**No Supplemental Vehicles**

## Supplemental Weapon

**No Supplemental Weapons**